



veeva Network

Veeva Network 24R1.1.1 Release Notes

June 2024



Contents

- About these Release Notes 5**
 - Subscribe to release notifications..... 5
 - Software releases and maintenance..... 5
 - Release Notes and Data Governance documents 5
- Browser requirements 5**
- Release Note updates 6**
- What's new..... 6**
- Deprecated features 8**
- Affiliation widget 8**
 - Text setting 8
- Key networks 9**
 - Search and profiles 9
- Data change requests 10**
 - DCR attachments 10
 - Maximum file size 10
 - Image captions 10
 - General guidelines for safe DCR attachments..... 11
 - Support for HEIF image files..... 12
 - Preview captions and images..... 12
 - OpenData DCRs..... 14
- Data privacy..... 14**
 - Data privacy opt out 14
 - Opted-out countries..... 14
- Match 15**



- Conditional matching on match rules..... 15
 - Supported match configurations 15
 - Available filter methods 16
 - Match Filter highlights 16
 - How match filters work..... 16
 - Example use cases..... 17
 - Create match filters..... 17
 - Applying filtered match rules to incoming records..... 19
 - Filters on individual match rules 20
 - Logging filters..... 20
- Match counts..... 21
- Filtering individual match rules 21
- Data model..... 22**
 - New language 22
 - Select the language for reference codes..... 22
 - Cluster management 22
 - Primary field configurations 23
 - Benefits of Unique Checkbox fields 23
 - Allow Network to calculate Unique Checkbox primary fields..... 23
 - Support for existing Network Calculated primary fields..... 25
- Custom domains 25**
 - Global entities..... 25
 - Supported objects..... 25
 - Global country code 26
 - Create a data visibility profile 26



Search for global entities 27

Global entity profiles..... 28

Data model for global entities..... 29

Systems 30

Viewing systems 30

Network expressions 30

New operators 30

 UNION operator 30

 UNION ALL..... 31

 INTERSECT 31

Transformation rules 32

Network widget support..... 32

 Configure transformation rules for widgets..... 32

 Example widget scenario 33

 Transformation rules list 36

 Widget configurations..... 37

Network API..... 38

Exporting configurations..... 38

Vault CRM 39

Vault CRM Bridge - Object types 39

 Configuration requirements..... 39

DCR enhancements..... 40

 DCR events 40

 Task IDs 41

 Change request key..... 41



About these Release Notes

These Release Notes describe all features that will be included in Veeva Network 24R1.1.

SUBSCRIBE TO RELEASE NOTIFICATIONS

You can receive email notifications about upcoming software releases and the supporting documentation.

Software releases and maintenance

- [Veeva Trust Site](#)

At the top of the page, click **Subscribe to Veeva Trust Site** and subscribe to the Veeva Network component.

Release Notes and Data Governance documents

The documents are posted in the following locations:

- Veeva Connect - Join the [Network Community](#).

To be notified as soon as the Release Notes are posted, go to your Veeva Connect profile and click **Settings**. On the Email Frequency page, expand the list and choose **Immediate**. Other notification options are **Daily** and **Weekly**.

- Veeva Product Support Portal

Follow the [Network Release Notes](#) section to be notified when release documents are posted.

For more information, see [About Network Releases](#) in the *Veeva Network Online Help*.

Browser requirements

Veeva Network is tested and supported on the latest version of these browsers:

- Google Chrome™
- Apple® Safari®
- Microsoft® Edge

Veeva Network is not supported on mobile devices.



Release Note updates

The following enhancements have been added since the Sandbox Release Notes were published.

- **Cluster Management** – Updated cluster codes from IQVIA™ are available for the Czech Republic and Slovakia.

The following enhancements have been added since the Early Release Notes were published.

- **Key Networks** - Search results and record profiles are updated to display only the key network's alias and icon on affiliated HCPs and HCOs; the corporate name no longer displays.
- **Data Privacy** – OpenData now manages HCP opt outs for 23 countries in the Latin America region.

All material in the Release Notes should be reviewed to ensure that updates to existing topics are noted.

What's new

The following key enhancements comprise the Veeva Network 24R1.1 minor release.

		ST	DS	DM	AD
General					
Deprecated features	The Data Migration, System Summary, and Merge Sync features have been removed from Network.	●	●	●	●
Affiliation Widget					
Text setting	Administrators can control the ability to add text to the influence map canvas.	●	●	●	●
Key networks					
Key network search	To condense search results, only the key network's alias and icon display affiliated HCPs and HCOs; the corporate name is removed.	●	●	●	●
Data change requests					
DCR attachments	Several enhancements have been added to support image attachments on DCRs.	●	●	●	●
OpenData DCRs	DCRs containing inactive or custom reference codes are no longer auto-rejected.	●	●	●	●
Matching					
Conditional matching	Subscription-level match filters can be applied to all match rules for an entity.			●	●
Match counts	Counts display on all tabs in the match configurations.			●	●
Filtering on individual match rules	A message displays to inform users that filters are supported for Direct Field match comparisons only.			●	●



		ST	DS	DM	AD
Data Privacy					
HCP opt out	OpenData now manages opt outs for 23 countries in the Latin America region.			●	●
Data Model					
New language	Ukrainian (UK) is now supported for reference data.			●	●
Cluster Management	Updated cluster codes from IQVIA™ are available for Belgium, Czech Republic, and Slovakia.			●	●
Primary custom fields	New primary fields support Unique Checkbox configurations only.			●	●
Custom Domains					
Global entities	Custom objects that do not have a primary country can be created.			●	●
Network Expressions					
New operators	NEX rules now support UNION, UNION ALL, and INTERSECT operators.			●	●
Systems					
Viewing systems	The sort order on the Systems page is retained for each user.			●	●
Transformation rules					
Network widget support	Transformation rules can now be used to transform data that is downloaded from the Search widget and Profile DCR widget.			●	●
Network API	Rules can be applied to the Search and Retrieve API for a system.		Developers		
Exporting configurations	Transformation rules can be exported from source environments to target environments.				●
Vault CRM					
Vault CRM Bridge	The Bridge now supports updating multiple object types in Vault CRM.			●	●
DCR enhancements	Administrators can monitor the status of DCR updates using the Task Audit Log.				●

Note: The System and Data Admin user has all the capabilities of the System Administrator and Data Steward users. Features and enhancements that apply to those users also apply to the System and Data Admin user.


Data Governance - Specific updates for fields and reference data are provided in the *Veeva Network Data Governance* release notes for every minor and major Network release.



Deprecated features

The following features have been removed from the Network UI:

- **Data Migration** (System Interfaces)
- **System Summary** (Admin console) - This includes the Change Request KPIs and Usage KPIs pages.




- **Merge Sync** - (OpenData Subscriptions) This feature was available only for China.

Affiliation widget


TEXT SETTING

Administrators can choose to allow users to add text to the Influence Map. A new setting, **Add Text**, is added to the Affiliation widget configuration.

By default, the **Add Text** setting is on.



If Administrators turn off the **Add Text** setting, any current text remains on the influence map but users will no longer be able to add text. The **Add Text** option will be hidden on the **Edit Canvas** toolbar on the Influence Map.



This enhancement is enabled by default in your Network instance.



Key networks

SEARCH AND PROFILES



Search results and record profiles are updated to display only the alias (for example, @AscensionHealth) and icon of the key network on affiliated HCPs and HCOs. Previously, the corporate name also displayed.



This change reduces the details users need to scan on the search results and provides additional room to display more key networks if they exist for a record.

Search results for: @AscensionHealth

FILTERS: @AscensionHealth x Clear Filters | Edit Filters

▾

  **Matt Brand** View Data ▾
#md #npi #obgyn #physician
Health Care Professional
Obstetrics & Gynecology
5600 W Addison St Ste 504 Chicago IL 60634-4466
Alt Key: HCP-100002566
Key Network: 🏢 @AscensionHealth

  **Henry Mason** View Data ▾
#npi #podiatry
Health Care Professional
Podiatry
19900 Governors Dr Ste 12 Olympia Fields IL 60461-1059
Alt Key: HCP-100000622
Key Network: 🏢 @AscensionHealth

This enhancement is enabled by default in your Network instance. Searching for key networks is supported for US and UK OpenData records by default.

For details about this feature, see [Key HCO network search](#) in the *Veeva Network Online Help*.



Data change requests

DCR ATTACHMENTS

Attachments can be added to add and change requests to provide supporting information or evidence that Data Stewards can use to quickly validate the requests.

In this release, the enhancements have been added to support users that submit data change requests (DCRs) and for Data Stewards that process the requests.

Enhancements for users submitting DCRs

- Increase in maximum file size
- Support for more detailed image captions
- General guidelines for safe DCR attachments

Enhancements for Data Stewards

- Support for previewing .heif/.heic images on browsers
- Previewing captions and images

Most of these enhancements are enabled by default in your Network instance. To increase the file size supported for attachments, contact Veeva Support.

Maximum file size

Images that are included on DCRs can be increased to a maximum of 20MB. By default, the maximum supported image size is 10MB for all Network instances.

To increase the maximum attachment file size for your Network instance, contact Veeva Support.

Image captions

Users can provide supporting details when they include attachments on DCRs. These details display as captions on DCRs. Captions can now support a maximum of 1000 characters so users can include additional details. Previously, the limit was 255 characters.



Apply Add Request

Notes


New doctor

Attachments

You are about to upload an attachment to support a Data Change Request. By uploading, you confirm that the attachment contains HCO/ HCP contact details that you collected from publicly available or accessible sources. Only image file types will be accepted. Images shall not contain people or any offensive content.

Attach up to 3 photos to your change request. File size limit: 20MB per file

[Browse Files](#)

 **CPSO_Anna_Garcia.png** 15 MB

Screenshot of CPSO online file to help validate the details for Dr. Garcia. Prefers visits in afternoons. No hours on Fridays and Tuesday mornings. Dr. Garcia's admin is Dan Greenly.

[Cancel](#) [Apply](#)

General guidelines for safe DCR attachments

The **Apply Add Request** dialog is updated to include guidance for images that can be attached to DCRs.

Ensure that attachments follow these guidelines:

- Contain contact details from publicly available and accessible sources
- Do not contain pictures of people
- Do not contain offensive content



Apply Add Request

Notes

Attachments

You are about to upload an attachment to support a Data Change Request. By uploading, you confirm that the attachment contains HCO/ HCP contact details that you collected from publicly available or accessible sources. Only image file types will be accepted. Images shall not contain people or any offensive content.

Attach up to 3 photos to your change request. File size limit: 20MB per file

Support for HEIF image files


Data Stewards can now preview .heif and .heic files that are a maximum of 8MB when they are processing DCRs on the browser.

Previously, .heif and .heic image the attachments had to be downloaded from the **Attachments** tab and then viewed in another application.


Note: When users attach .heif and .heic files from the Profile page, a thumbnail image does not display

Preview captions and images

When Data Stewards hover over an image on the **Attachments** tab on the DCR, the full image caption now displays.



Data Stewards can now click the image on the **Attachments** tab to quickly open the preview.



The full caption displays on the image preview.



OPENDATA DCRs

Data change requests (DCRs) on Veeva OpenData records are no longer automatically rejected if they contain inactive or custom reference codes.

DCRs are now routed to OpenData data stewards to review. Data Stewards can edit the request and replace the reference code with a code that is active for that OpenData country.

This enhancement is enabled by default in your Network instance.

Data privacy

DATA PRIVACY OPT OUT

Veeva OpenData now manages HCP opt outs for the following 23 countries in the Latin America region:

- Argentina (AR)
- Bahamas (BS)
- Barbados (BB)
- Bermuda (BM)
- Bolivia (BO)
- Cayman Islands (KY)
- Chile (CL)
- Colombia (CO)
- Costa Rica (CR)
- Curacao (CW)
- Dominican Republic (DO)
- Ecuador (EC)
- El Salvador (SV)
- Guatemala (GT)
- Honduras (HN)
- Jamaica (JM)
- Mexico (MX)
- Nicaragua (NI)
- Panama (PA)
- Paraguay (PY)
- Peru (PE)
- Trinidad and Tobago (TT)
- Uruguay (UY)

Two data model fields have been enabled for these countries for the HCP object:

- `data_privacy_opt_out__v`
- `data_privacy_opt_out_date__v`

Records that are opted-out by Veeva OpenData do not display and cannot be accessed in downstream systems. This ensures data privacy for opted-out HCPs to satisfy regional regulatory requirements.

This enhancement is enabled by default in your Network instance.

Opted-out countries

To review the list of opted-out countries, in the Admin console:

1. Click **Data Model > Data Domains** and choose the **Customer Master** domain.
2. Select the **Health Care Professional** object and find the `data_privacy_opt_out__v` field in the **Fields** section.
3. Click the field to review the list of opted-out countries that are managed by Veeva OpenData.



Match

CONDITIONAL MATCHING ON MATCH RULES

Administrators and Data Managers can create match filters that apply to all match rules in the match configuration. These subscription-level match filters can include or exclude specific records from being considered for match pairs. For example, you can create match filters for HCOs so the subscription match rules apply only to active HCO records that are hospitals.

Data Groups (3) Match Rules (18) Match Filters (3) Ranked Filters Groups (2)

Match filters configured here are applied at the subscription level to all records. Only records that meet these criteria will be compared in match rules.

If no filters are configured here or in individual match rules, all records will be included in match comparisons. Filters configured on individual match rules will override match filters configured here.

Match rules with cartesian or concatenation collations ignore match filters. Match filters can only be used in match rules that use direct collations.

Entity:

FUNCTION	FIELD	VALUE	
<input type="text" value="Include"/>	<input type="text" value="hco_type__v (HCO)"/>	<input type="text" value="2 items selected"/>	AND x
<input type="text" value="Include"/>	<input type="text" value="hco_status__v (HCO)"/>	<input type="text" value="1 items selected"/>	x

[Add Filter](#)

This feature is enabled by default in your Network instance.

Supported match configurations

Match filters can be applied at the match configuration or subscription-level.

- Default Match Configuration
- Source Subscriptions
- Ad Hoc Match Configuration
- Add Request Match Configuration
- Match Rule Collections
- Data Deduplication data maintenance subscriptions



Available filter methods

There are three types of filters that can be applied on match configurations:

Existing filter types

- **Filters on individual match rules** - Conditions created on a specific rule on the **Match Rules** tab. These filters override Match Filters.
- **Ranked filter groups** - A series of conditions that are applied after the typical match process. The conditions are prioritized so they are applied in a specific order to find the highest ranking match pair.

New filter type

- **Match Filters** - Conditions that are applied to all applicable match rules during the match process. Create the conditions on the **Match Filters** tab to include or exclude specific records from consideration.

Match Filter highlights

A new tab called **Match Filters** is added to all match configurations. Filters that are created on this tab will apply to all match rules in the configuration for the defined entity and its child objects and country group.

Key details

- Subscription-level filters are applied to the rules on the Match Rules tab.
- Filters apply to the defined entity and country group.
- Filters on individual match rules override filters on the **Match Filters** tab.
- Filters can include or exclude records.
- Filters can be applied to incoming records that do not have a value in a filtered field.

How match filters work

Match filters are applied to the existing match configuration to include or exclude specific records for consideration. ACT and ASK matches are determined based on the resulting record pairs and confidence values.

If filters are applied to individual match rules in the configuration, these subscription-level match filters are ignored when that match rule is processed.



Example use cases

Use subscription-level match filters to immediately include or exclude specific records from consideration during the match process.

- Only match on active HCOs; do not include non-active HCOs.
- Only match on active hospitals; do not include any HCOs that are not active and HCOs that are not hospitals
- Only match on pharmacies; do not include HCOs that are not pharmacies

Create match filters

To create a subscription-level filter to apply to all defined match rules:

1. Open a match configuration and select a country group.
2. Click the **Match Filters** tab.
3. Expand the **Entity** list and choose the object for the match filter.
4. Click **Add Filter**.
5. Expand the **Function** list and choose one of the following:
 - **Include** - Choose to define the records that the match rule will apply to.
 - **Exclude** - Choose to define the records that match rules will not apply to.
6. Choose the **Field** to filter match rules on.

Supported fields

- Active fields for the selected country and entity type.
 - Reference and text fields
 - Veeva standard fields and custom fields
7. Select the **Value** to filter match rules on. One or more values are supported.

If you select multiple values for a filter, the match rule considers all values.

Example

- **Function:** Include
- **Field:** HCO Type (hco_type__v)
- **Values:** Hospital, Department, Clinic

Result: The match rule considers records that are Hospitals, or Departments, or Clinics.



Data Groups (7) Match Rules (31) Match Filters (1) Ranked Filters Groups (0)

Match filters configured here are applied at the subscription level to all records. Only records that meet these criteria will be compared in match rules.

If no filters are configured here or in individual match rules, all records will be included in match comparisons. Filters configured on individual match rules will override match filters configured here.

Match rules with cartesian or concatenation collations ignore match filters. Match filters can only be used in match rules that use direct collations.

Entity: Health Care Organization

FUNCTION	FIELD	VALUE
Include	hco_type__v (HCO)	3 items selected

[Add Filter](#)

Search

- Clinic Only
- Department
- Hospital, General
- Administrative Service
- Advanced Emergency Medical Service Center
- After Hours Health Center
- Ambulatory Surgery Center

8. To include another filter, click **Add Filter**.

When multiple filters are defined, the filters are combined as an AND operation.

Example

FUNCTION	FIELD	VALUE
Include	hco_status__v (HCO)	1 items selected
Exclude	hco_type__v (HCO)	1 items selected

[Add Filter](#)

Search

- Organization, Health System

- Filter 1: Include active HCO records
- Filter 2 Exclude HCOs that are health systems

Result: Match rules will consider all active HCOs *and* all HCOs except health systems.

9. **Save** your changes.

The filter will now be applied to all match rules for that entity and country group.



Applying filtered match rules to incoming records


When filters are applied to individual match rules or all match rules, the rules can consider incoming records even if they are missing the field value of the filter.

Previously, for match filters to work, the fields and values on filters had to exist on both the existing data in your Network instance and on the incoming data. Often, the incoming data is not as robust as the data in your instance, so records were skipped if they didn't contain the filtered field and value.

Set record options

The options to allow incoming records with empty values to be considered for match display on the **Match Rules** tab.

It applies to any filters on individual match rules on the Match Rules tab and to filters defined on the Match Filters tab.



- **Apply match rules whether incoming records have a value in a filtered field or not.**

This is the default option for all new match rules.

- **Apply match rules only if incoming records have a value in a filtered field.**

This is the default for existing match rules.

To allow incoming records with empty or missing field values to be considered for match rules, select the first option on the **Match Rules** tab.

If the incoming data is robust and has values in filtered fields, the second option can be selected.

This is supported when the filter function is **Include**. **Exclude** functions require the records to have the specified field and value.



Filters on individual match rules

Filters on individual match rules override any filters defined at the subscription level (Match Filters, Ranked Group Filters).

On the **Match Rules** tab, a message displays when a filter is added to a rule and if filters are configured on the **Match Filters** tab.

Logging filters

A new column, **Match filters in use**, is added to the Match + Data Group Analysis log to indicate if a match filter was used when the match pair was found.

Rule Name	Features	Advice	Match filters in use	Rank Group	Mode
NPI is identical	NPI is identical	ACT	Yes	Hospital HCO type	Local Network Link
Corporate names are identical	Corporate names are identical	ACT	Yes	Exclude Departments	Local Network Link
Corporate names are similar and addresses match	Corporate names are identical Addresses match	ASK	Yes		Local Network Link

Column values

- **Yes** - At least one subscription-level filter is enabled and used.

Note: Filters are applied to one object. Some matches might be found using rules that aren't filtered. The value will still be **Yes** to indicate that filters were in use.

- **No** - No subscription-level filters exist or were used to find the match pair.



MATCH COUNTS

Match configurations are updated to display a count of items on each tab. The count applies to the country and selected entity. If you change the entity, the count updates to reflect the new entity.

Match Default Configuration

Advanced Cancel Save

This page allows you to set your own default rules that can then be used by any subscription in this instance. If custom rules have not been defined for a particular country, Network's default rules are used. The default rules are periodically updated by Network as improvements are introduced.

Country

Data Groups (3)	Match Rules (18)	Match Filters (0)	Ranked Filters Groups (0)
-----------------	------------------	-------------------	---------------------------

Data can be grouped or blocked to make the matching process more efficient by only comparing similar entities. For instructions on setting up Data Groups, please refer to the [online help](#).

This enhancement is enabled by default in your Network instance.

FILTERING INDIVIDUAL MATCH RULES

Filters are supported on individual match rules that use the **Direct Fields** comparison method only. If the match rule uses any other comparison method, the filters are ignored.

This is existing behavior.

A message now displays when a filter is created on a match rule that uses the **Concatenated fields** or **Sets of fields** comparison methods:

Filters are supported for the "Direct Fields" comparison method; filters on other comparison methods are ignored.

Apply filters ⓘ

⚠ Filters are supported only for the "Direct Fields" comparison method; filters on other comparison methods are ignored.

Field	Values	Function	
hcp_type__v (HCP)	1 Items selected	Include	✕

+ Add Filter

Comparison method ⓘ

This enhancement is enabled by default in your Network instance.



Data model

NEW LANGUAGE

Ukrainian (UK) is now supported for reference data.

This enhancement is enabled in your Network instance by default.

Select the language for reference codes

To view reference codes in this language:

1. On the Network menu bar, click **My Profile**.
2. In the **Settings** section, expand the **Language** list and select **Ukrainian**.
3. **Apply** your changes.

Note: Ukrainian is not supported for data model fields and the Network UI.

CLUSTER MANAGEMENT

Updated cluster codes from IQVIA™ are available for the following countries:

- Belgium
- Czech Republic
- Slovakia

The new cluster version for these countries is Version 2.0.

The new cluster version is available by default if you have the IQVIA country/provider combination enabled in your Network instance.

To update addresses with the latest cluster codes:

1. In the Admin console, click **Data Model > Cluster Management**.
2. Select the country / IQVIA cluster configuration.
3. In the **Cluster Management Details** section, expand **Cluster Version** and choose **Version 2**.
4. **Save** your changes.
5. Click **Refresh Addresses** to run a data maintenance job to ensure that all addresses have the latest cluster codes.



PRIMARY FIELD CONFIGURATIONS

New primary custom fields are now supported for Unique Checkbox types only. The **Network Calculated** option will be disabled for new primary field configurations for all sub-objects including addresses and parent HCO objects.

Network Calculated primary field logic is available using the Unique Checkbox configurations.

This enhancement is enabled by default in your Network instance.

Benefits of Unique Checkbox fields

Unique Checkbox configurations contain the same functionality as Network Calculated configurations but are more robust and include these added benefits:

- **Supported objects** - Unique Checkbox is supported for all sub-objects and relationship objects. Network Calculated was supported for Address and Parent HCO objects only.
- **Multiple primaries** - You can create more than one primary field for each object. This enables you to have one primary per therapeutic area. Only one field per object is supported for Network Calculated configuration.
- **Customizations** – Use the standard Network logic to recalculate primary or customize the logic and define for specific conditions.

Allow Network to calculate Unique Checkbox primary fields

The Network Calculated primary configuration was used to ensure that a record always has an active and valid primary defined.

Network Calculated primary behavior

Network would automatically calculate a primary for the following conditions:

- **No primary** - The record does not contain a primary or a primary was removed.
- **Inactive primary** - The current primary is inactive.
- **Invalid or Deleted primary** - The current primary is invalid or deleted.

These options can also be set on the Unique Checkbox primary configuration.

Configure Unique Checkbox as Network Calculated

To set the Network Calculated behavior on the Unique Checkbox configuration, select the following settings:

When to Calculate Primary section:

- **The record DOES NOT HAVE a primary**
- **The status of the primary is INACTIVE**
- **The record state of the primary is INVALID or DELETED**



Primary Recalculation Logic:

- Use standard logic

These settings will use the same business rules and logic to ensure that records have a primary defined.

For more information, see [Create a Unique Checkbox primary](#) in the *Veeva Network Online Help*.

Example Unique Checkbox configuration

Create Custom Field

FIELD

On this page: [Properties](#) · [Country Visibility and Field Rules](#) · [Change Procedure](#) · [Labels](#)

Cancel

Save

▼ Properties

Name * ⓘ _c

Effective Version ⓘ N/A

Type ⓘ Primary

Configuration ⓘ Unique Checkbox

- When to Calculate Primary Address ⓘ
- The record DOES NOT HAVE a primary Address
 - The status of the primary Address is INACTIVE
 - Recalculate only if there are active Address on the record
 - The record state of the primary Address is INVALID or DELETED

- Primary Address Recalculation Logic
- Use standard logic
 - Define custom logic

Select new primary Address where:

CONDITION	
IF	Source Rank on primary field is the same or higher than that on existing primary Address.
ELSE IF	Address rank is the highest.
ELSE IF	Last updated time of primary field is the latest.
ELSE	Address Entity ID is the newest.

Exclude Addresses that meet the following criteria when recalculating primary Address:

FIELD	VALUE
Record State (record_state__v)	Invalid
Status (address_status__v)	Inactive

+ Add Field

Enabled?



Support for existing Network Calculated primary fields

Existing Network Calculated primaries are not impacted by this change. They will continue to work as expected.

You can change an existing Network Calculated configuration to Unique Checkbox by changing the primary type from the Data Model page.

Custom domains

GLOBAL ENTITIES

Administrators and Data Managers can now load and manage top-level entities that do not belong to a specific country.

Some custom objects, like Products and Brands, are not country-specific. For example, Cholecap, is a global brand, but it has country-specific package configurations.

A primary country called Global is now available to assign to these entities so you can manage them in Network.

The screenshot displays the Veeva Network user interface for the entity 'Cholecap'. The top navigation bar includes 'HOME', 'INBOX', 'MY REQUESTS', 'AD HOC MATCH', 'REPORTS', 'NETWORK EXPLORER', 'DATA UPDATER', and 'FILE EXPLORER'. The search bar shows 'Wag-Metoprolol'. The entity details section shows 'Cholecap' with a 'Brand' entity type and a unique identifier (VID) of 944718584535385695. The 'Primary Information' section is expanded, showing 'Name' as 'Cholecap', 'Record State' as 'Valid', and 'Primary Country' as 'Global'. The 'Status' is 'Active'. A 'HIERARCHY' diagram shows 'Wag-Metoprolol' as a child of 'Cholecap'. The 'Primary Country' field is highlighted with a red box.

This enhancement is available by default in your Network instance.

Supported objects

Use the Global primary country for custom objects only. Do not use the Global country for Veeva standard objects. HCPs and HCOs depend on country-specific data models.



Global country code

All country codes are defined in the `AddressCountry` reference type (**Data Model > Reference Data**).

The **AA** country code definition is now *Global*.

Note: The Global country code represents a "virtual" country to designate entities that do not have a specific country; it does not mean *all* countries.

Use this reference code for custom objects that do not belong to a specific country.

The screenshot shows the 'Reference Codes - AddressCountry' page in the Veeva Network Admin console. The page title is 'Reference Codes - AddressCountry' and the type is 'AddressCountry'. A dropdown menu for 'Country' is set to 'All countries'. There are 'Export' and 'Import' buttons. The table below lists the reference codes:

Country	NETWORK CODE	NETWORK NAME	DEFINITION	CODE ACTIVE?	ACTIVE IN ALL COUNTRIES?
▼	AA	Global	Global	✓	✓
▼	AD	Andorra	Andorra	✓	✓
▼	AE	United Arab Emirates	United Arab Emirates	✓	✓
▼	AF	Afghanistan	Afghanistan	✓	✓

Create a data visibility profile

To view global entities in Network, there must be a data visibility profile assigned to the Global primary country.

Create a data visibility profile (DVP) and then assign it to users that should have permission to view and access these entities.

1. In the Admin console, click **Users > Data Visibility Profile**.
2. Click **Add New Profile**.
3. Type a **Name** and **Description**.
4. Expand the **Country Specification** list and choose **Global**.

Important - Global does not mean that users can view records for all countries. It means that users can view the records that use the **AA** country code.

5. For each custom object listed, specify **All** or **No** visibility. Select **All** so users can view records that use the **AA** country code.

Note: HCP and HCO visibility is **All** by default but a DVP for the Global primary country does not apply to these objects: HCP and HCO records should never use the **AA** country code.



6. Define the additional permissions and assign profile layouts for each object. For more details see [Working with data visibility profiles](#) in the *Veeva Network Online Help*.
7. Assign the DVP to any Network user that requires access to the global entities (**Users & Permissions > Users**).

Example DVP

Visibility Profiles > Add New Profile

Add New Profile

Cancel Save

▼ Primary Information

Profile Name* Global_data

Description DVP for custom objects that have no specific country (ex. brand, products)

Default (When Creating New User) False

▼ Permissions

Country Specification Global

Health Care Professional Visibility All HCPs Include HCPs Exclude HCPs

Health Care Organization Visibility All HCOs Include HCOs Exclude HCOs

Package Visibility All Packages No Packages

Company Visibility All Companies No Companies

Market Basket Visibility All Market Baskets No Market Baskets


Product Visibility All Products No Products

Brand Visibility All Brands No Brands

Data Read-only access False

Search for global entities

Users that have access to global entities through the data visibility profile can search for these objects.

The Global  country flag displays beside records in the search results.

You can also use the **Primary Country** facet to filter the search results for objects with the Global primary country.



The screenshot shows the Veeva Network search interface. The top navigation bar includes 'HOME', 'INBOX', 'MY REQUESTS', 'AD HOC MATCH', 'REPORTS', 'NETWORK EXPLORER', 'DATA UPDATER', and 'FILE EXPLORER'. The search results are sorted by 'Relevance' and show 1 of 4 pages. The search criteria are 'Entity Type: Brand' and 'Primary Country: Global'. The results list several brands, with 'Wag-Metoprolol' highlighted. The 'Global' option under 'PRIMARY COUNTRY' is selected and highlighted with a red box.

Global entity profiles

Records that are loaded into Network using the **AA** country code display the Global country flag beside the object name.

The **Primary Country** field value is **Global**.

The screenshot shows the Veeva Network entity profile for 'Cholecap'. The profile includes a search bar, navigation tabs, and a 'Primary Information' section. The 'Primary Country' field is highlighted with a red box and shows 'Global'. The 'Record State' is 'Valid' and the 'Status' is 'Active'. A 'HIERARCHY' diagram is also visible on the right side of the profile.



Data model for global entities

The Global primary country uses the Other Countries (ZZ) data model. This data model determines the fields and values that are available to use for global entities in Network.

Custom fields

When you add custom fields to a global entity, the custom field configuration must specify the Other Countries data model.

In the **Country Visibility and Field Rules** section, ensure that Other Countries is listed.

The screenshot shows the 'Create Custom Field' page in the Veeva Network application. The breadcrumb trail is 'Product Master > Brand > Create Custom Field'. The page title is 'Create Custom Field'. Below the title, there is a 'FIELD' section with a breadcrumb trail: 'On this page: Properties · Search Behaviour · Country Visibility and Field Rules · Labels'. There are 'Cancel' and 'Save' buttons. The 'Country Visibility and Field Rules' section is expanded, showing a list of countries. The 'Other Countries' option is highlighted with a red box. Below the list of countries, there is a 'Rule Type' dropdown menu set to 'Default Value'.

Countries
Albania X
Algeria X
Andorra X
Angola X
Argentina X
Armenia X
Australia X
Austria X
Azerbaijan X
Bahamas X
Bahrain X
Barbados X
Belarus X
Belgium X
Bermuda X
Bolivia X
Bosnia and Herzegovina X
Botswana X
Brazil X
Bulgaria X
Burkina Faso X
Cameroon X
Canada X
Cayman Islands X
Chile X
China X
Colombia X
Costa Rica X
Côte d'Ivoire X
Croatia X
Curaçao X
Cyprus X
Czech Republic X
Denmark X
Dominican Republic X
Ecuador X
Egypt X
El Salvador X
Estonia X
Ethiopia X
Finland X
France X
Georgia X
Germany X
Ghana X
Greece X
Guatemala X
Honduras X
Hong Kong X
Hungary X
Iceland X
India X
Indonesia X
Iraq X
Ireland X
Israel X
Italy X
Jamaica X
Japan X
Jordan X
Kazakhstan X
Kenya X
Kuwait X
Kyrgyzstan X
Latvia X
Lebanon X
Liechtenstein X
Lithuania X
Luxembourg X
Macao X
Madagascar X
Malaysia X
Mal X
Malta X
Mauritius X
Mexico X
Moldova X
Monaco X
Montenegro X
Morocco X
Namibia X
Netherlands X
New Zealand X
Nicaragua X
Nigeria X
North Macedonia X
Norway X
Oman X
Other Countries X
Pakistan X
Panama X
Paraguay X
Peru X
Philippines X
Poland X
Portugal X
Qatar X
Romania X
Russia X
Saudi Arabia X
Senegal X
Serbia X
Sierra Leone X
Singapore X
Slovakia X
Slovenia X
South Africa X
South Korea X
Spain X
Sweden X
Switzerland X
Taiwan X
Tajikistan X
Thailand X
Trinidad and Tobago X
Tunisia X
Turkey X
Turkmenistan X
Ukraine X
United Arab Emirates X
United Kingdom X
United States X
Uruguay X
Uzbekistan X
Vietnam X



Systems

VIEWING SYSTEMS

The sort order of systems is now retained for each user on the Systems page. The defined systems can be sorted using any of the columns in the table. If you sort the systems, the order will be preserved the next time you access the page.

Systems Add System				
NAME	TYPE	DESCRIPTION ▲	THIRD PARTY MASTER	PROPRIETARY
change_request		Data Change Request Data		
network_portal__v		Network Portal		
opendata_opt_outs__v		OpenData Opt-Outs		
VCRM	Veeva CRM	Veeva CRM integration		
Vault	Veeva Vault	Veeva Vault integration		
Temp	Custom	Z System for ad hoc updates		

Tip: For systems that are rarely or no longer used, assign a "Z" to the description so those systems remain at the bottom of the list.

This enhancement is enabled by default in your Network instance.

Network expressions

NEW OPERATORS

In this release, the following operators are now supported:

- UNION
- UNION (ALL)
- INTERSECT

These functions provide Data Managers with more flexibility to combine and filter data collections, enabling them to tailor data for specific use cases.

This enhancement is enabled by default in your Network instance.

UNION operator

UNION operator is used to combine the result set of two or more collections.

Usage

```
<collection> UNION <collection>
```

**Example**

```
[ "foo", "star", "ball", "app" ] UNION [ "foo", "bar", "fox", "app" ]
```

Result

```
[foo, star, ball, app, bar, fox]
```

The UNION operator selects only distinct values by default. To allow duplicate values, use UNION ALL.

UNION ALL

Use to combine all result sets of two or more collections.

Usage

```
<collection> UNION ALL <collection>
```

Example

```
[ "foo", "star", "ball", "app" ] UNION ALL [ "foo", "bar", "fox", "app" ]
```

Result

```
[foo, star, ball, app, foo, bar, fox, app]
```

INTERSECT

Use to combine values in the result set that are common to both collections.

Usage

```
<collection> INTERSECT <collection>
```

Example

```
[ "foo", "star", "ball", "app" ] INTERSECT [ "foo", "bar", "fox", "app" ]
```

Result

```
[foo, app]
```



Transformation rules

The following enhancements are added for transformation rules in this release. They are enabled by default in your Network instance.

NETWORK WIDGET SUPPORT

Transformation rules can now be used to transform data that is downloaded from Network widgets. For example, you can use rules to limit type of addresses that display on downloaded records.

Transformation rules are supported for Search widgets, and the Profile DCR widget.

Note: Transformation rules are not applied to the data displayed in the widget.

Configure transformation rules for widgets

To support Network widgets, transformation rules can be applied to Search and Retrieve API calls for a system. This enables the rules to be applied for any user that uses the widget. Previously, rules could be applied to the API calls for individual integration users only.

This can be specified in the rule configuration.

Transformation Rules > New Transformation Rule

New Transformation Rule

Cancel Save

▼ Details

Name * WidgetTransformations

System * Marketing

Description * Rules for Widget Transformations

❗ For Veeva or Vault CRM, ensure that you apply the rules on the following:

- The Target Subscription used for CRM, and
- To the Search and Retrieve API for your CRM integration user

❗ For Widget Integrations, ensure that you apply the rules on the following:

- To the Search and Retrieve API for your system

► NEX Rules

► Apply to Target Subscription

▼ Apply to Search and Retrieve API

Apply Rules to Search and Retrieve API

Apply to Search and Retrieve API calls that use the System

Apply to a Specific User



On the transformation rule configuration, you can apply rules to the Search and Retrieve API calls that use the defined system.

1. Select **Apply to Search and Retrieve API**.
2. Choose **Apply to Search and Retrieve API calls that use the System**.

This will apply the rules to the system defined in the transformation rule configuration.

The system is applied to the API call when widget users download records.

Example widget scenario

The following transformation rules are applied to the system used for a Search widget.

Address rules

- Set Mail Only address types to Inactive
- Limit postal codes to 5 characters

HCP rules

- Uppercase HCP first name
- Uppercase HCP last name

ORDER	OBJECT	FIELD	CODE DESCRIPTION	NEX
≡	Address	address_status__v	Mail only addresses are inactivated	<pre>if(address_type__v == 'M', 'I', address_status__v)</pre> <p>NEX is valid ▶ Test</p>
≡	Address	postal_code__v	Postal Code is 5 digits	<pre>if(country__v == 'US', left(postal_code__v,5), postal_code__v)</pre> <p>NEX is valid ▶ Test</p>
≡	Health Care Professional	first_name__v	Uppercase HCP first name	<pre>uppercase(first_name__v)</pre> <p>NEX is valid ▶ Test</p>
≡	Health Care Professional	last_name__v	Uppercase HCP last name	<pre>uppercase(last_name__v)</pre> <p>NEX is valid ▶ Test</p>



A user searches for an HCP account, Jack Diamond, in the Search widget.

Jack Diamond has two addresses: one Professional address and one Mail Only address.

Network Search [Close]

[← Back to Search Results](#) **Select**

Jack Diamond
#md #npi #physician
Prescriber, Geriatric Medicine (Internal Medicine)
3457 Nostrand Ave Brooklyn NY 11229-5131
No value
7186306125

> Primary Information

▼ Addresses

3457 Nostrand Ave Brooklyn NY 11229-5131
Address Type Professional

5434 2nd Ave Brooklyn NY 11220-2606
Address Type Mail Only

When the user downloads the record, the data is transformed in the downstream application and in the JSON that is returned.

- HCP first and last name is uppercase
- Postal code is limited to 5 characters
- Mail only address is inactive so it does not display to end users



Downstream application

GENERAL INFORMATION

Specialty	Geriatric Medicine (Internal Med...	Degree 1	Doctor of Medicine
HCP Type	Prescriber	Degree 2	No Value
NPI	1831182708	VID	243233568157860871
Gender	Male		

ADDRESSES

3457 Nostrand Ave Brooklyn NY 11229 (Primary)

CONTACT

Phone	7186306125	Email	jack.diamond@clemsn.edu
-------	------------	-------	-------------------------

JACK DIAMOND
Prescriber

[View Account Details](#)

[Edit Account Details](#)

JSON results

```
entity : {
  gender__v : M
  years_in_progress__v : 0
  birth_year__v : 1947
  knipper_id__v : 900256611
  record_owner_type__v : VOD
  first_name__v : JACK
  education_level__v : RESIDENCY
  grad_training__v : Y
  npi_num__v : 1831182708
  specialty_3__v : IM
  record_delta_id__v : 940865729203503103
  record_owner_name__v : OpenData
  grad_trg_end_date__v : 1976-06-30
  place_of_employment__v : 4
  last_name__v : DIAMOND
  formatted_name__v : Jack Diamond
}
```



```

addresses__v : [ 6 items
  0 : {
    postal_code_primary__v : 11220
    address_line_1__v : 5434 2nd Ave
    record_owner_type__v : VOD
    premise__v : 5434
    record_owner_name__v : OpenData
    thoroughfare_trailing_type__v : Ave
    locality__v : Brooklyn
    delivery_address__v : 5434 2nd Ave
    country__v : US
    premise_number__v : 5434
    thoroughfare__v : 2nd Ave
    address_type__v : M
    delivery_address_1__v : 5434 2nd Ave
    sub_administrative_area__v : Kings
    entity_type__v : HCP
    address_verification_status__v : V
    address_status__v : I
    modified_date__v : 2021-05-08T09:12:49.000-07:00
    record_state__v : VALID
    postal_code__v : 11220
    administrative_area__v : US-NY
    formatted_address__v : 5434 2nd Ave Brooklyn NY 11220-2606
  }
]
    
```

Transformation rules list

The Transformation Rules page is updated to display any systems that are applied to the Search and Retrieve API calls for the rules (**API User/System** column).

Transformation Rules						New Rule
Search rules... <input type="text"/>						6 items selected
NAME	SYSTEM	DESCRIPTION	IMPACTED FIELDS	TARGET SUBSCRIPTIONS	API USER/SYSTEM	
CustomerConfig	HealthCloud	Rules	ADDRESS record_state__v PARENTHCO parent_hco_status__v HCP speciality_1__v ADDRESS address_status__v ADDRESS postal_code__v HCP medical_degree_2__v HCP medical_degree_1__v	HealthCloud	N/A	
OneTest	Sutter	Testing	HCP first_name__v	exportdata	N/A	
WidgetTransformations	HealthPortal	Change data	HCP first_name__v PARENTHCO parent_hco_status__v ADDRESS address_status__v ADDRESS postal_code__v HCP last_name__v HCP medical_degree_1__v	healthsystems	HealthPortal	
VCRM	VCRM	Change data	PARENTHCO parent_hco_status__v HCP speciality_1__v ADDRESS address_status__v ADDRESS postal_code__v HCP medical_degree_1__v	VCRM_subscription	admin@verteo.veevanetwork.com	



Widget configurations

A **Transformation Rules** section is added to Search widget and Profile widget configurations so Administrators can see the rules that are applied. This section is read-only.

The screenshot shows the 'HealthPortal' configuration page. On the left is a sidebar with 'QUICK LINKS' including Details, General Settings, Entity Management, Transformation Rules, Branding, and Labels. The main content area has a 'HealthPortal' title and buttons for 'Cancel', 'Generate Code', and 'Save'. Below the title are expandable sections for 'Details', 'General Settings', 'Entity Management', and 'Transformation Rules'. The 'Transformation Rules' section is expanded, showing a text block: 'To apply a transformation rule to your widget, apply the Search and Retrieve API to your widget system. Don't have transformation rules set up? [Create a New Transformation Rule](#)'. Below this is a table of transformation rules.

OBJECT	FIELD	DESCRIPTION	TRANSFORMATION RULE	
ADDRESS	address_status__v	Mail only addresses are inactivated	WidgetTransformations	View Rule
PARENTHCO	parent_hco_status__v	Ownership Hierarchy in CRM	WidgetTransformations	View Rule
ADDRESS	postal_code__v	Postal Code is 5 digits	WidgetTransformations	View Rule
HCP	medical_degree_1__v	medical degree	WidgetTransformations	View Rule
HCP	first_name__v	Uppercase	WidgetTransformations	View Rule
HCP	last_name__v	uppcase	WidgetTransformations	View Rule

Available actions:

- **Create a rule** - Click **Create a New Transformation Rule** to navigate to the Transformation Rules page.
- **Edit a rule** - Click the rule name in the **Transformation Rule** column to open the rule configuration page.
- **View rule** - Click **View Rule** to open a pop-up that displays the object, field, description, and rule name.

The 'View Rule' pop-up window displays the following information:

- Object:** HCP
- Field:** medical_degree_2__v
- Description:** Medical Degree 2
- Rule:** medical_degree_1__v



NETWORK API

Transformation rules can be applied to the Search and Retrieve calls for your system.

Supported API calls

Example system name = HealthPortal

API	Request
Search API	https://{DNS}/api/version/search?q=john&systemName=HealthPortal
Search API + Supplemental	https://{DNS}/api/version/search?q=john&supplemental={ONE,ALL}&systemName=HealthPortal
Retrieve Entity API	https://{DNS}/api/{version}/entity/{vid_key}?systemName=HealthPortal
Retrieve Child Entity	https://DNS/api/version/child/vid_key?systemName=HealthPortal
Batch Retrieve Entity	https://{DNS}/api/{version}/entities/batch?systemName=HealthPortal
Batch Retrieve Child Entity	https://DNS/api/version/children/batch?systemName=HealthPortal
Retrieve HCO	https://DNS/api/version/hcos/vid_key?systemName=HealthPortal
Retrieve HCP	https://{DNS}/api/{version}/hcps/{vid_key}?systemName=HealthPortal
Retrieve Change Request (IncludeEntity=True)	https://{DNS}/api/{version}/change_requests/{change_request_ids}?systemName=HealthPortal
Batch Retrieve Change Request (IncludeEntity=True)	https://DNS/api/version/change_requests/batch?systemName=HealthPortal

EXPORTING CONFIGURATIONS

Transformation rules can now be included in export packages. Add the rules to export package so you can import them on the target environment.

Dependencies

Most of the rule dependencies are added to the export package. This includes the system, custom fields, and custom objects. Integration users that are specified in the rules cannot be included in the export package.

Target subscriptions

When target subscriptions are added to an export package, any applied transformation rules are also included.



Vault CRM

The following enhancements for the Vault CRM integration are added in this release.

VAULT CRM BRIDGE - OBJECT TYPES

The Vault CRM Bridge now supports updating multiple object types in Vault CRM. Previously, the Vault CRM Bridge supported only one object type for HCOs and HCPs.

This enhancement is enabled by default in your Network instance. Administrators can map the Network fields to the Vault CRM object type.

Configuration requirements

To support multiple object types, map a Network field to the Vault CRM object type field.

Example mapping

If your Vault CRM has different object types for HCPs, you can map them to Network field values.

Vault Object Type	Network hcp_type__v field value
Prescriber	Prescriber
Prescriber	Resident
Non-Prescriber	Non-Prescribing Health Care Professional
Non-Prescriber	Business Professional
Non-Prescriber	Student



DCR ENHANCEMENTS

Network Administrators can monitor the status of data change request (DCRs) in Vault CRM using the Task Audit History.

Task Audit History								Export
Date range		To						
2024-05-02		2024-05-03		Get History		Reset		
Showing events for 2024-05-02 to 2024-05-03								
ID	TASK ID	ACTION DATE	ACTION TYPE	USER NAME	RELATED ITEMS	MESSAGE	CHANGE REQUEST KEY	
611	944758087367720095	2024-05-03 15:14:52 IST	UpdateVaultCRMDCR	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	DCR V7E0000001O002 updated to PE...	164258_V7E0000001O002	
610	944758087367720095	2024-05-03 15:14:52 IST	UpdateVaultCRMCustomerData	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Upsert Account V4T00000019001 succ...	164258_V7E0000001O002	
609	944758087367720095	2024-05-03 15:14:38 IST	ServiceLog	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Created master change request 301:944...	164258_V7E0000001O002	
608		2024-05-03 15:14:38 IST	SubmitDCR	System		DCR Sent to Network API using vaultcm...	164258_V7E0000001O002	
607		2024-05-03 15:14:38 IST	TransformDCR	System		Mappings read using cyril.asputia@cyrip...	164258_V7E0000001O002	
606		2024-05-03 15:14:38 IST	ReceiveDCR	System		Received DCR Message from Vault: DC...	164258_V7E0000001O002	
605	944758087367720095	2024-05-03 15:14:38 IST	ChangeState	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Changed task state from NEW to PENDI...	164258_V7E0000001O002	
604	944758087367720095	2024-05-03 15:14:38 IST	ServiceLog	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Set Change Request status to CHANGE...	164258_V7E0000001O002	
603	944758087367720095	2024-05-03 15:14:38 IST	CreateTask	Vault CRM Bridge	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Created by sarah.jones@cyripm.vaultde...	164258_V7E0000001O002	

This enhancement is enabled by default in your Network instance.

DCR events

All data change request events are logged in the Task Audit History.

An action type is assigned to each event.

Action Type	User Name	Details
CreateTask	VaultCRM	A task was created by <user> in Vault CRM.
ServiceLog	System	A log is generated by Network to indicate a change in the task state.
ChangeState	System	The DCR state was changed.
ReceiveDCR	System	The DCR data was received was Vault CRM.
TransformDCR	System	Mappings were read using <integration user>.
SubmitDCR	System	A DCR was sent to Network API using the Vault CRM Bridge.
UpdateVaultCRMCustomerData	System	The account was upserted to Vault CRM.
UpdateVaultCRMDCR	System	The DCR status was updated in Vault CRM.
Receive Notification	System	A notification of task state change has been resolved.
ResolveTask	System	Task was resolved.
CompleteTask	System	Task was closed.



Event errors

Any errors that occur during the DCR process are also logged in the appropriate events. For example, if an account import to Vault CRM fails during the process, the error displays in the UpdateVaultCRMDCR event.

Task IDs

The Task ID column is blank when the DCR is first received from Vault CRM.

Change request key

The **Change Request Key** column and **Change Request Key** filter are added to the log. A change request key is the global DCR ID that is assigned to each event.

Add the change request key to the filter to view all events for a DCR.

The screenshot shows the 'Task Audit History' interface. On the left, there are several filter fields: 'Task ID', 'DCR ID', 'Entity ID', 'Job ID', and 'Change Request Key'. The 'Change Request Key' field is highlighted with a red box and contains the value '164258_v7E00000001D002'. Below the filters are 'clear' and 'Filter' buttons. The main area displays a table of audit events. The table has columns for ID, TASK ID, ACTION DATE, ACTION TYPE, USER NAME, RELATED ITEMS, MESSAGE, and CHANGE REQUEST KEY. The 'CHANGE REQUEST KEY' column is highlighted with a red box. The table shows 9 events, all with the same 'CHANGE REQUEST KEY' value. The 'Displaying 1 to 9 of 9' indicator is at the bottom.

ID	TASK ID	ACTION DATE	ACTION TYPE	USER NAME	RELATED ITEMS	MESSAGE	CHANGE REQUEST KEY
611	944759087367720095	2024-05-03 15:14:52 IST	UpdateVaultCRMDCR	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	DCR V7E00000001D002 updated to ...	164258_v7E00000001D002
610	944759087367720095	2024-05-03 15:14:52 IST	UpdateVaultCRMCustomerData	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Upsert Account VIT000000019001 s...	164258_v7E00000001D002
609	944759087367720095	2024-05-03 15:14:38 IST	ServiceLog	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Created master change request 301:...	164258_v7E00000001D002
608		2024-05-03 15:14:38 IST	SubmitDCR	System		DCR Sent to Network API using vault...	164258_v7E00000001D002
607		2024-05-03 15:14:38 IST	TransformDCR	System		Mappings read using cyril.asparto@c...	164258_v7E00000001D002
606		2024-05-03 15:14:38 IST	ReceiveDCR	System		Received DCR Message from Vault ...	164258_v7E00000001D002
605	944759087367720095	2024-05-03 15:14:38 IST	ChangeState	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Changed task state from NEW to PE...	164258_v7E00000001D002
604	944759087367720095	2024-05-03 15:14:38 IST	ServiceLog	System	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Set Change Request status to CHAN...	164258_v7E00000001D002
603	944759087367720095	2024-05-03 15:14:38 IST	CreateTask	Vault CRM Bridge	DCR ID: 944759087367720095 Entity ID: 243230539576771592	Created by sarah.jones@veeva.vault...	164258_v7E00000001D002